



METRO
ARTE CERAMICA

**METRO CERAMICS**

8-A, National Highway, Lakhdhirpur Road,
Morbi 363 642, Gujarat, INDIA.

metrofloortiles@gmail.com | +91 99798 43682


**www.metrowoodentiles.com**

FIND
THE
WOOD
FLOOR
THAT
SUITS
YOUR
STYLE

contemporary elegance

**150x900mm**

METRO®
ARTE CERAMICA



FRAGMENTS OF ETERNITY

THE FOREST INSIDE THE HOME, BREATHING NATURE, FEELING OF FREEDOM.
THE NATURAL WOOD OF PORCELAIN COLLECTS UNIQUE AND
UNMATCHABLE, PURE AND ALIVE FRAGMENTS OF ETERNITY.

EL BOSQUE DENTRO DEL HOGAR, RESPIRAR NATURALEZA, SENSACIÓN DE
LIBERTAD, LA MADERA NATURAL DE PORCELAIN RECOGE FRAGMENTOS
DE LA ETERNIDAD ÚNICOS E INIMITABLES, PUROS Y VIVOS.

LA FORÊT À L'INTÉRIEUR DE LA MAISON, RESPIRER LA NATURE, SE SENTIR
LIBRE. LE BOIS NATUREL DE PORCELAIN RECUEILLE DES FRAGMENTS
D'ÉTERNITÉ UNIQUES ET INIMITABLES, PURS ET VIVANTS.


VALUE
OF
THE
PASSING
OF
TIME
recreating the charm
and beauty
of worn upholstery
and antique
collection.
150x900mm

TOUCH HERE 360°

L6 1047



TOUCH HERE 360°

L6 1048



METRO
ARTE CERAMICA

L6 1047

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

L6 1049



TOUCH HERE 360°

L6 1050



METRO ARTE CERAMICA

L6 1050

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 102



TOUCH HERE 360°


NRC 107



METRO
ARTE CERAMICA

NRC 102

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 108



TOUCH HERE 360°

NRC 109



METRO
ARTE CERAMICA

NRC 109

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 110



TOUCH HERE 360°

NRC 111



METRO ARTE CERAMICA


NRC 110

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 112



TOUCH HERE 360°

NRC 114



METRO
ARTE CERAMICA

NRC 114

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

NRC 201



TOUCH HERE 360°

NRC 202



METRO ARTE CERAMICA

NRC 201

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 204



TOUCH HERE 360°

NRC 301



METRO ARTE CERAMICA

NRC 301

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

NRC 302



TOUCH HERE 360°

NRC 303



METRO
ARTE CERAMICA

NRC 302

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

NRC 304



TOUCH HERE 360°

NRC 306



METRO
ARTE CERAMICA

NRC 306

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 305



TOUCH HERE 360°

NRC 307



METRO ARTE CERAMICA

NRC 307

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 308



TOUCH HERE 360°

NRC 309



METRO
ARTE CERAMICA

NRC 309

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 401



TOUCH HERE 360°

NRC 402



METRO ARTE CERAMICA

NRC 401

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 403



TOUCH HERE 360°

NRC 404



METRO
ARTE CERAMICA

NRC 404

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 406



TOUCH HERE 360°

NRC 407



METRO ARTE CERAMICA


NRC 406

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 408




TOUCH HERE 360°

NRC 501



TOUCH HERE 360°


NRC 502



METRO ARTE CERAMICA

NRC 501

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

NRC 334



TOUCH HERE 360°

DM 15905



METRO
ARTE CERAMICA


NRC 334

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

QLD 915983



TOUCH HERE 360°


QLD 915982



METRO
ARTE CERAMICA

QLD 915982

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

QLD 915981



TOUCH HERE 360°

5017



METRO ARTE CERAMICA

5017

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

D9 1507



TOUCH HERE 360°

D9 1508



METRO ARTE CERAMICA


D9 1507

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

D9 1509



TOUCH HERE 360°

D9 1510



METRO ARTE CERAMICA

D9 1509

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

D9 1511



TOUCH HERE 360°

N9 1901



METRO
ARTE CERAMICA


N9 1901

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



TOUCH HERE 360°

NRC 712



METRO
ARTE CERAMICA

NRC 712

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES




TOUCH HERE 360°

IPE OUT GREY



TOUCH HERE 360°

IPE OUT BLACK



TOUCH HERE 360°


IPE OUT NATURE



METRO ARTE CERAMICA

## IPE OUT NATURE

**150x900mm** RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



# PACKING DETAILS

| Sr. No. | Size | No. of Tiles Per Box | Coverage Area in Sq.Feet | Approx. Weight / Box |
|---|---|---|---|---|
| 1 | 150x900mm | 8 | 11.62sq.ft. | 22kgs. |

DISCLAIMER: Wooden Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

# LAYING INSTRUCTIONS

**TILES FIXING INSTRUCTIONS**

1. All the tiles must be checked prior to fixing for quality, batch no. and choice.
2. Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
3. While fixing pick tiles from various boxes alternatively, lay them in the desired patterns and make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing tiles.
4. For fixing tiles we recommend to use the fixing adhesives or equivalent product for the best result.
5. For fixing tiles in floor using conventional method, we suggest the following laying instruction:

A: use cement and sand mortar in the ratio 1:4. Add water to create a consistent paste.

B: Apply 20-25MM of bedding materials over the floor area of 1.0SQM at a time.

C: Apply a thin coat of the slurry on the back of the tile to ensure proper and full bedding. Press gently for even adherence of the tiles with surface.

Do not use any heavy materials like iron or hammer to press tile.

6. For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
7. Allow 3-4 days of bed curing after laying tiles and later fill the joints with grout.
8. We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
9. Please note that company will not accept any liability in case of any problems arising out of adherence of above fixing instructions.

**DISCLAIMER** : reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in the catalogue at any time. The colours shown in this catalogue are purely illustrative and limited to printing process. Please refer actual samples before final selection. The details of colours, sizes and references should be verified for photography errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLAINTS SHALL BE ENTERTAINED ON TILES ALREADY FIXED.

**NOTES** :


* All technical specifications in this catalogue are for premium grade materials only.
* SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations that are the parts of designs and process. The same have been indicated.
* It is recommended to blend tiles by mixing tiles from various boxes and check for natural hue before fixing.
* Company's liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
* No complaints shall be entertained regarding the decoration on tiles.

TOUCH HERE
Laying Instructions Video

TILES
**LAYING PATTERN**
**1/4**

Tiles Size: **150x900mm | 15x90cm**




It is recommended that tiles are laid grout lined.


Minimum 4 mm Unrectified tiles

Minimum 2 mm Rectified tiles

| |
|---|
| W : CALIBRE/KALIBRE |
| S : 903.0 - 905.0mm |
| Y : 905.0 - 907.0mm |
| X : 907.0 - 909.0mm |
| A : 909.0 - 911.0mm |
| 15 X 90 X 0.90 cm (GL) (Approx Value) |
| 8 pcs. / add |
| 1.08 m² |

ARROW DIRECTION YOU COVERING

**TILES MUST BE SETTLED CONSIDERING THE DIRECTION OF THE ARROW (➡) ON THE BACK OF TILE.**



**Helpful tips for better aesthetics look (Laying Instructions)**

1. For better aesthetic value and for long term use, it is strongly recommended to provide 3 mm spacer in between the tiles. Without spacer, harmony of tiles might be disturbed.
2. Make sure that the design, pattern and the arrow marked on the back side of tiles must be in the same direction.
3. Any product from digible must be installed (laid) in the same format. For the particular series customized size application is not possible.

* THE COMPANY SHALL NOT BEAR ANY LIABILITY FOR THE PROBLEMS OUT OF NON-FULFILLMENT OF LAYING THE INSTRUCTIONS AS ABOVE.